10th Cognitive Symposium 2014 - Redondo Beach, CA - November 6-8, 2014 <u>Compiled References as Submitted by Presenters</u>

- Alzheimer's Association (2006). 2006 Dementia Care Practice Recommendations for Assisted Living Residences and Nursing Homes-Phases 1 and 2. Alzheimer's Association.
- Allen C.K., & Blue, T: Cognitive disabilities model: how to make clinical judgments, in Cognition Occupation in Rehabilitation: cognitive models for intervention and occupational therapy. Edited by Katz N. Bethesda, Md. The American Occupational Therapy Association, 1998, pp. 225- 279.
- 3 Allen Cognitive Network (2014). Organizational background. Retrieved from: http://allen-cognitive-network.org/.
- 4 Allen, C. K; Cognitive Disability and Reimbursement for Rehabilitation and Psychiatry; Journal of Insurance Medicine, Vol 23, No 4, winter 1991; pp 245-247; Retrieved from Google search on 4/6/2014.
- Allen, C. K. (1987). "Activity: Occupational Therapy's Treatment Method." Eleanor Clarke Slagle Lecture. American Journal of Occupational Therapy, 41 (9), 563-575.
- Allen, C. K. (1992). Rehabilitation and learning. In C. K. Allen, C. A. Earhart, & T. Blue (Eds.), Occupational therapy treatment goals for the physically and cognitively disabled (pp. 339–350). Bethesda, MD: American Occupational Therapy Association.
- 7 Allen, C. K. (1999). Structures of the Cognitive Performance Modes. Ormond Beach, FL: Allen Conferences.
- Allen, C. K., Earhart, C.A., Blue, T. (1992). Occupational Therapy Treatment Goals for the Physically and Cognitively Disabled. Bethesda, MD: American Occupational Therapy Association.
- 9 Allen, C. K., Earhart, C.A., Blue, T. (1995). Understanding Cognitive Performance Modes. Ormond Beach, FL: Allen Conferences, Inc.
- Allen, C.K. (1985). Occupational Therapy for Psychiatric Diseases: Measurement and Management of Cognitive Disabilities. Boston: Little, Brown, and Company.
- Allen, C.K., Austin, S. L., David, S. K., Earhart, C.A., McCraith, D., Riska-Williams, L. (2007) Manual for the Allen Cognitive Level Screen-5 (ACLS-5) and Large Allen Cognitive Level Screen-5 (LACLS-5). Camarillo, CA: ACLS and LACLS Committee (in English, Spanish, Japanese, and others "in progress").
- 12 Alzheimer's Association (2014). Alzheimer's Disease Facts and Figures, Alzheimer's & Dementia, Volume 10, Issue 2.
- 13 Alzheimer's Association. http://www.alz.org. Accessed March 28, 2013.
- American Occupational Therapy Association (2013). ACOTE Standards. Retrieved from: http://www.aota.org/-/media/Corporate/Files/EducationCareers/Accredit/Draft-Standards/2011-Standards-and- Interpretive-Guide-August-2013.pdf.
- 15 AOTA (2013). Review of New Models of Primary Care Delivery. Prepared by Goetz Goldberg, D. & Pillittere Dugan, D. Bethesda, MD: AOTA.
- Atwater A. & Davis C.G., The Value of Psychosocial Level II Fieldwork. Am J Occup Ther: September 1990 44:792-795: doi:10.5014/a.
- 17 Austin, S. L. (2009). Hierarchies of abilities and activity demands in the Allen Diagnostic Module 2nd Ed.: A validity study. Doctoral Dissertation, University of Illinois at Chicago.
- 18 Ayres, A. J. (1979). Sensory integration and the child. Los Angeles, CA: Western Psychological Services.
- Bottemiller, Kari L; Bieber, Patti L; Basford, Jeffrey R: Harris, Marcelline: FIM Score, FIM efficiency, and Discharge Disposition Following Inpatient Stroke Rehabilitation: Rehabilitation Nursing; Jan/Feb 2006; 31, 1; pp 22-25. Retrieved from Proguest Central Database March 3,2014.
- Burke, Lisa A & Hutchins, Holly M. (2007) Training transfer: An integrative literature review. Human Res Dev't Rev 6(3) 263-296.
- Campbell, D. (1997). The Mozart effect: Tapping the powers of music to heal the body, strengthen the mind, and unlock the creative spirit. New York, NY: Avon Books.
- 22 Centers for Medicare and Medicaid Services. (2013). Medicare Benefit Policy Manual, Ch. 15, 220.2(D).
- 23 Champagne, T. (2003). Creating nurturing and healing environments for a culture of care. Occupational Therapy Advance. (19), 50.
- 24 Champagne, T. (2005, March). Expanding the role of sensory approaches for acute inpatient psychiatry. Mental Health Special Interest Section Quarterly.
- 25 Champagne, T. (2006). Creating Sensory Rooms: Environmental enhancements for acute mental health settings. Me Special Interest Section Quarterly, 29 (4), 1-4.
- Champagne, T. (2010a). Sensory modulation & the environment: Essential elements of occupation. (3rd ed.)

 Australia: Pearson Assessment.
- Champagne, T. (2010b). Occupational Therapy in High-Risk and Special Situations. In Scheinholtz, ed. Occupational Therapy in Mental Health. Bethesda, MD: AOTA Press, 179-197.

- Champagne, T. & Stromberg, N. (2004). Sensory approaches in inpatient psychiatric settings: Innovative alternatives to seclusion and restraint. Journal of Psychosocial Nursing, 42, 34-44.
- 29 Chen, H., Yang, H., Chi, H. & Chen, H. (2013). Physiological Effects of Deep Touch Pressure on Anxiety Alleviation: The Weighted Blanket Approach. Journal of Medical and Biological Engineering, 33(5): 463-470.
- 30 Cohen, L., Britt, L., Dana, M., Collins, F. & al'Absi, M. (2001). Multimodal assessment of the effect of chewing gum on nicotine withdrawal. Addictive Behaviors, 26, (2), 289-295.
- Corcoran. K., Farb, N., Anderson, A. & Segal, Z. (2010). Mindfulness and emotional regulation: Outcomes and possible mediating mechanisms. In A. M. Kring & D.M Sloan (Eds.), Emotional regulation and psychopathology: A transdiagnostic approach to etiology and treatment, 339-355. New York: Guilford Press.
- D'Amico, L., Jaffe, L., & Gibson, R. (2010). Mental health evidence in the American journal of occupational therapy. The American Journal of Occupational Therapy, 64 (4), 660-669. Doi: 10.5014/ajot.2010.09180.
- David, S. K. (1992). The relationship of the ACL to organic changes in the brain. Medical College of Georgia. Master's Thesis, 1992.
- David, S. K., & Riley, W. T. (1990). The relationship of the Allen Cognitive Level Test to cognitive abilities and psychopathology. American Journal of Occupational Therapy, 44, 493 497.
- deJoode, E., vanHeugten, C., Verhey, F. & vanBoxtel, M. (2010). Efficacy and usability of assistive technology for patients with cognitive deficits: a systematic review. Clinical Rehabilitation, 24, 701-714.
- Diego, M. Field, T., Hernendez-Reif, M., Shaw, J., Rothe, E., Castellanos, D., & Mesner, L. (2002) Aggressive adolescents benefit from massage therapy. Adolescence, 37 (147), 597-607.
- Diego, M.A., Jones, N.A., Field, T., & Hernandez-Reif, M. (1998). Aromatherapy reduces anxiety and enhances EEG patterns associated with positive mood and alertness. International Journal of Neuroscience, 96, 217-224.
- Dobrez, Deborah; Heinemann, Allen W; Deutsch, Anne; Durkin, Elizabeth M; Almagor Orit; Impact of mental disorders on cost and reimbursement for patients in inpatient rehabilitation facilities; Arch Phys Med Rehabilitation, Feb 2010 Vol 91:184-188. Retrieved from EbsCohost database on 3/3/2014.
- Dorman, C., Lehsten, L., Woodwin, M. Cohen, R., Schweitzer, Tona, J. (2009). Using Sensory Tools for Teens with Behavioral and Emotional Problems. OT Practice, 11 (23), 16-21.
- 40 Dunn, W. (2009) Living Sensationally: Understanding your senses. Philadelphia, PA: Jessica Kingsley Publishers.
- Dunn, W. (2009). Living Sensationally. London, UK and Philadelphia, PA. Jessica Kingsley Publishers.
- Earhart, C. A., McCraith, D., & Riska-Williams, L. (2014). *Cognitive Disabilities Model: Theory, Assessment, and Intervention.* Two-day Training Workshop presented at Yonsei University, Wonju, South Korea, June 28-29, 2014. 35th Annual OTAC Conference, Sacramento, CA, October 16, 2011.
- 43 Earhart, C.A., (2006). Allen Diagnostic Modules: Manual (2nd ed.). Colchester, CT: S&S Worldwide.
- Earhart, C.A., Allen, C.K., & Blue, T. (1993). (Revised, 2004). Allen Diagnostic Module Instruction Manual. Colchester, CT: S & S/Worldwide.
- 45 Executive Summary. Health Professions Education: A Bridge to Quality. Washington, DC: The National Academies Press, 2003.
- 46 Frick, S.M. (2002) Listening with the whole body. Professional Development Press.
- 47 Gentry, T. (2008). PDAs as cognitive aids for people with multiple sclerosis. American Journal of Occupational Therapy, 62, 18–27.
- Gentry, T., Wallace, J., Kvarfordt, C., & Lynch, K. (2010). Personal _digital assistants as cognitive aids for high school students with _autism: results of a community-based trial. Journal Of Vocational Rehabilitation, 32(2), 101-107. Doi: 10.3233/JVR-2010-0499.
- 49 Gitlin L.N., Hodgson N., Jutkowitz E. & Pizzi L. The Cost-effectiveness of a Nonpharmacological Intervention of Individuals with Dementia and Family Caregivers: The tailored Activity Program AM J Geriatr Psychiatry. June 2010: 18(6): 510-519. Doi: 10.1097/JGP.0b013e3181c37d13.
- Gitlin, L. N. & Rose, K. (2014). Factors associated with caregiver readiness to use Nonpharmacological strategies to manage dementia-related behavioral symptoms. International Journal of Geriatric Psychiatry, 29, 93-1102.
- Gitlin, L. N., & Winter, L. (2009). The tailored activity program to reduce behavioral symptoms in individuals with dementia: feasibility, acceptability, and replication potential, The Gerontologist, 49(3), pp. 428-439.
- Gitlin, L. N., Mann, W. C., Vogel, W. B., & Arthur, P. B. (2013). A non-pharmacologic approach to address challenging behaviors of Veterans with dementia: description of the tailored activity program-VA randomized trial. BMC geriatrics, 13(1), 96.
- Gitlin, L. N., Winter, L., Burke, J., Chernett, N., Dennis, M. P., & Hauck, W. W. (2008). Tailored activities to manage neuropsychiatric behaviors in persons with dementia and reduce caregiver burden: A randomized pilot study. American Journal of Geriatric Psychiatry, 16, 229-239.
- Gitlin, L. N., Winter, L., Vause Earland, T., Herge, A. E., Chernett, N., & Piersol, C. V. (2009). The tailored activity program to reduce behavioral symptoms in individuals with dementia: feasibility, acceptability, and replication potential. Gerontologist, 49(3).

- Gomes, E. (2013). Mastering the Challenges of Dementia: Better Treatment Outcomes. OTAC Region 1 Educational Symposium. University of St. Augustine, San Marcos, May 11.
- Hanchu, B. (1998). Using a sensory approach to serve adults who have developmental disabilities. In M. Ross & S. Bachner, (Eds.). *Adults with developmental disabilities: Current approaches in occupational therapy* (pp. 165-211). Bethesda, MD: AOTA.
- Harton, Brenda B. (2007) Clinical staff development: Planning and teaching for desired outcomes. J for Nurses in Staff Dev't 23(6) 260-268.
- Hayes, R.L. & Keller, S.M. (1999) Why won't Australian occupation therapists adopt Allen's Cognitive Disability Theory? Aust Occ Thy J 46 188-192.
- Henry, A., Moore, K., Quinlivan, M. & Triggs, M. (1998). The relationship of the Allen Cognitive Level test to demographics, diagnosis and disposition among psychiatric patients. American Journal of Occupational Therapy, 52, 638-643.
- Hsu, W. & Lai H. (2004, October). Effects of music on major depression in psychiatric inpatients. Archives of Psychiatric Nursing, 18, (5), 193-199.
- 61 http://allen-cognitive-network.org/
- 62 http://allencognitive.org/
- 63 http://www.crisisprevention.com/
- Integrated Listening Systems (2007). iLs Practitioner Pre-Course Study. Denver, Colorado: Integrated Listening Systems.
- Interprofessional Education Collaborative Expert Panel. (2011). Core competencies for interprofessional collaborative practice: Report of an expert panel. Washington, D.C.: Interprofessional Education Collaborative.
- Janeslätt G, Kottorp A, Granlund M. Evaluating intervention with time aids in children with disabilities. Scandinavian Journal of Occupational Therapy. 2013.
- Janeslätt, G. (2009). TIME FOR TIME; Assessment of time processing ability and daily time management in children with and without disabilities. Department of Neurobiology, Care Science and Society, Division of Occupational Therapy Stockholm, Karolinska Institutet. PhD: 110.
- Janeslätt, G. (2012). "Validity in assessing Time Processing Ability, equating tests KaTid-Child and KaTid-Youth." Child: Care, Health and Development 38(3): 371.
- Janeslätt, G., A. Kottorp, and M. Granlund, (2014). Evaluating intervention with time _aids in children with disabilities. Scandinavian Journal of Occupational Therapy. 1-10. (doi: 10.3109/11038128.2013.870225.
- Janeslätt, G., Donlau, M., Andersson, M-L., & Rydberg, K. (2014). Koll påtid "SjälvskattningavförmågaattOrganisera ochHantera sin tid.[Sw for Assessment of Time Management Skills (ATMS)]. Förbundet Sveriges Arbetsterapeuter.
- Janeslätt, G., Granlund, M. et al. (2008). "Development of a new assessment of time processing ability for children, using Rasch analysis." Child: care health and development 34(6): 771-780.
- Janeslätt, G., Granlund, M. et al. (2009). "Measurement of time processing ability and daily time management in children with disabilities." Disability and Health Journal 2(1): 15-19.
- Janeslätt, G., Granlund, M. et al. (2010). "Patterns of Time Processing Ability in Children with & without Developmental Disabilities." Journal of Applied Research in Intellectual Disabilities 23(3): 250-262.
- Katz, N. (2005) Cognition & Occupation across the life span. Models for intervention in occupational therapy. 2nd Edition. Bethesda, MD: AOTA Press.
- Katz, N. (2006) Routine Task Inventory-Expanded (RTI-E) Manual. Retrieved March 25, 2014, from http://www.allen-cognitive-network.org/routine_task_inventory.htm.
- Katz, Noomi (2011). Cognition, Occupation, and Participation Across the Life Span. Neuroscience, Neurorehabilitation, and Models of Intervention in Occupational Therapy 3rd Edition. Bethesda, MD: AOTA Press.
- 77 King, L.J. (1974). A sensory integration approach to schizophrenia. *American Journal of Occupational Therapy*, 28, 529-536.
- 78 King, L.J. (1983). Occupational therapy and neuropsychiatry. Occupational Therapy in Mental Health, 3 (1), 1-12.
- Kraiger, Kurt, Ford, J Kevin & Salas, Eduardo. (1993) Application of cognitive, skill-based and affective theories of learning outcomes to new methods of training evaluation. J of Appl Psy. 78(2) 311-328.
- Lawton, M. P., & Nahemow, L. E. (1973). Ecology and the aging process. In C. Eisdorfer & M. P. Lawton (Eds.), The psychology of adult development and aging (pp. 619-674).
- Lenze EJ, Munin MC, Quear T, Dew MA, Rogers JC, Begley AE, Reynolds CF III; Significance of poor patient participation in physical and occupational therapy for functional outcome and length of stay. Ach Phys Med Rehabilitation, 2004; 85: 1599-1601. Retrieved from EbscoHost database on 3/3/2014.
- Levenson, R. W., Ekman, P., & Friesen, W. V. (1990). Voluntary facial action generates emotion-specific autonomic nervous system activity. Psychophysiology, 27, 363-384.
- McCraith, D.B., Austin, S.L., & Earhart, C.A. (2011). "The Cognitive Disabilities Model in 2011." in N. Katz (Ed.) Cognition, Occupation, and Participation Across the Life Span. Bethesda, MD: AOTA.

- 84 Menon, V., & Levitin, D.J. (2005). The rewards of music listening: Response and physiological connectivity of the mesolimbic system. Neuroimage 28(1), 175-184.
- Moore, K. (2005) The sensory connection program: Activities for mental health treatment. Manual and Handbook. Framingham, MA: Therapro, Inc.
- Moore, K. (2008). The sensory connection self-regulation workbook: Learning to use sensory activities to manage stress, anxiety and emotional crisis. Framingham, MA: Therapro, Inc.
- 87 Moore, K. & Henry, A. (2002). Treatment of adult psychiatric patients using the Wilbarger Protocol. Occupational Therapy in Mental Health, 18 (1), 43-63.
- 88 Moore, K. L., Boscardin, W. J., Steinman, M. A., & Schwartz, J. B. (2012). Age and sex variation in prevalence of chronic medical conditions in older residents of U.S. nursing homes. Journal of the American Geriatrics Society, 60(4), 756-764.
- Mullen, B., Champagne, T. Krishnamurty, S., Dickson, D. & Gao, R. (2008, February). Exploring the safety and therapeutic effects of deep pressure stimulation using a weighted blanket. Occupational Therapy in Mental Health, 24, 65-89.
- Nielsen, M., Keefe, F., Bennell, K., Jull, G. (2014) Physical therapist Delivered cognitive behavioral therapy: A qualitative study of Physical therapists' perceptions and experiences. Physical therapy 94; 197-209.
- Odes, H., Katz, N., Noter, E., Shamir, Y., Weizman, A. & Valevski, A. (2011). Level of function at discharge as a predictor of readmission among inpatients with schizophrenia. The American Journal of Occupational Therapy, 65 (3), 314 319. Doi: 10.5014/ajot.2011.001362.
- 92 Oetter, P., Ritcher, E., & Frick, S. (1995). MORE: Integrating the mouth with sensory and postural functions. Hugo, MN: PDP Press, Inc.
- Ostrove, B. & Hartman, R. (2013). Sound minds: Establishing a sensory modulation education group at a mental health hospital. OT Practice, 18(18), 14-18.
- Pollard, D. (2005). A cognitive link: Managing problematic bodily behavior. Monona, WI: SELECTOne Rehab.
- 95 Pollard, D. & Warpechowski. D. (2005). Allen's cognitive levels: Meeting the challenges of client focused services. Monona, WI: SELECTOne Rehab.
- 96 Porges S. (2004). Neuroception: A subconscious system for detecting threat and safety. Zero to Three: Bulletin of the National Center for Clinical Infant Programs, 24:5,9-24.
- 97 Porges S. (2008). Music therapy and trauma: Insights from the polyvagal theory. In K Stewart, ed. Symposium on Music Therapy & Trauma: Bridging Theory and Clinical Practice. New York: Satchnote Press.
- Porges S. (2009). Reciprocal influences between body and brain in the perception and expression of affect: A polyvagal perspective. In D Fosha, D Siegel, and M Solomon, eds. The Healing Power of Emotion: Affective Neuroscience, Development, and Clinical Practice. New York: Norton, 27-54.
- 99 Porges, S. (1995). Cardiac vagal tone: A physiological index of stress. Neuroscience and Biobehavioral Reviews, 19, 225-233.
- 100 Porges, S. (2007). The polyvagal perspective. Biological Psychology, 74, 116-143.
- 101 Porges, S. (2011). The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation. New York, NY: Norton, W.W. & Company.
- 102 Raber, C., Beam, H., Brown, M., & Maples, L. (2013). Promoting best ability to function: Innovative dementia care interventions. Unpublished research project, Shawnee State University.
- Sarkamo, T., Tervaniemi, M., Laitinen, S. et al. (2008). Music listening enhances cognitive recovery and mood after middle cerebral artery stroke. Brain, 131, 866-876.
- 104 Schaber, P. & Lieberman, D. (2010) Occupational Therapy Practice Guidelines for Adults with Alzheimer's Disease and Related Disorders. Bethesda, MD: AOTA Press.
- 105 Scholey, A., Haskell, C., Robertson, B., Kennedy, D., Milne, A. & Wetherell, M. (2009). Chewing gum alleviates negative mood and reduces cortisol during acute laboratory psychological stress. Physiology and Behavior, 97:304-312.
- 106 Shepard, J. (2007) Sensory-based treatment for adults with developmental disabilities. Advance for Occupational Therapy Practitioners, 23(18), 38-39.
- 107 Simek, E., McPhate, L., Haines, T. (2012) Adherence to and efficacy of home exercise programs to prevent falls: A systematic review and meta-analysis of the impact of exercise program characteristics. Preventive Medicine 55; 262-275.
- Sutton, D., & Nicholson, E. (2011). Sensory modulation in acute mental health wards: A qualitative study of staff and service user perspectives. Auckland, New Zealand: Te Pou o Te Whakaaro Nui. http://aut.researchgateway.ac.nz/bitstream/handle/10292/4312/Sutton%20sensory%20modulation%20in%20acute%20mental%20health%20wards.pdf?sequence=6 retrieved 9/1/2013.
- Thibeault, R. (2006). Globalization, universities and the future of occupational therapy: Dispatches for the Majority World. Australian Journal of Occupational Therapy, 53, 159-165.
- 110 Trivedi, M., Greer, T., Grannemann, B., Chambliss, H., & Jordan, A. (2006). Exercise as an augmentation strategy for treatment of major depression. Journal of Psychiatric Practice, 12(4), 205-13.

- 111 Van der Kolk, B. (2006). Clinical Implications of Neuroscience Research in PTSD. Annals of New York Academy of Sciences 1-17.
- 112 Van der Kolk, B., (1994). The body keeps score. Harvard Review of Psychiatry, 1, 253-265.
- 113 Vasse, E., Vernooij-Dassen, M., Spijker, A., Rikkert, M.O., & Koopmans, R. (2010). A systematic review of communication strategies for people with dementia in residential and nursing homes. International Psychogeriatrics, 22:2, 189–200.
- Walker, D. & McCormack, K. (2002). The weighted blanket: an essential nutrient in a sensory diet. Everett, MA: Village Therapy.
- 115 Warner, E., Cook, A., Westcott, A., & Koomar, J. (2011). Sensory motor arousal regulation treatment (SMART). A manual for therapies for working with children and adolescents: A "bottom up" approach to treatment of complex trauma. Boston: Trauma Center at JRI.
- Warner, E., Koomar, J., Lary, B., & Cook, A. (2013). Can the Body Change the Score? Application of Sensory Modulation Principles in the treatment of traumatized adolescents in residential settings. Journal of Family Violence, 28, 729-738.
- 117 Weiner, N. W., Toglia, J., & Berg, C. (2012). Weekly Calendar Planning Activity (WCPA): A performance-based assessment of executive function piloted with at-risk adolescents. American Journal of Occupational Therapy, 66, 699–708.
- Weirather, R. (2010). Communication strategies to assist comprehension in dementia. Hawaii Medical Journal, 69(3), 72–74.
- 119 White, S. (2007). Let's Get Organized: An Intervention for Persons with Co-occurring Disorders. Psychiatric Services, 58, 713.
- White, S., Riley, A., & Flom, P. (2013). Assessment of Time Management Skills (ATMS): A practice-based outcome questionnaire. Occupational Therapy in Mental Health, 29:3, 215231.DOI.10.1080/0164212X.2013.819481.
- Wilbarger P., & Wilbarger, J. (2002). Clinical application of the sensory diet. In A. Bundy, S. Lane, & E. Murray (Eds.). Sensory integration: theory and practice (2nd ed., 339-341). Philadelphia, PA: F.A.Davis.
- Wilbarger, P. (1995). The sensory diet: Activity programs based on sensory processing Theory. Sensory Integration Special Interest Section Newsletter, 18 (2), 1-4.
- 123 <u>www.allencognitive.org</u> for current activities, resources including videos and handouts, overview of CDM and assessments, educator's corner and more.
- 124 Yildirim, Y. & Soyunov, S. (2010) Relationship between learning strategies of patients and proper perception of the home exercise program with non-specific low back pain. Journal of back and musculoskeletal rehabilitation 23. 137-142.
- Young, T. J., Manthorp, C., Howells, D., & Tullo, E. (2011). Optimizing communication between medical professionals and people living with dementia. International Psychogeriatrics, 23, 1078–1085.
- 126 Yuen, H., & Yau, M. (2006). Cross-cultural awareness and OT education. OT International, DOI: 10.1002/oti.86.